

SC2002 OBJECT ORIENTED DESIGN & PROGRAMMING
FINAL YEAR PROJECT MANAGEMENT SYSTEM
Report of Project Structure Design & Functionality
AY22/23 Sem 2 | A50, Group 6

NAME	MATRICULATION NUMBER
Pu Fanyi	U2220175K
Jiang Jinyi	U2220259H
Jin Qingyang	U2220239A
Soo Ying Xi	U2220021D

Project Demonstration Video: <https://youtu.be/8FikWzfHILA>

Project Main Page: <https://pufanyi.github.io/FYPMS/>

GitHub Main Page: <https://github.com/pufanyi/FYPMS>





Project Document: <https://pufanyi.github.io/FYPMS/docs>

Declaration of Original Work for SC/CE/CZ2002 Assignment

We hereby declare that the attached group assignment has been researched, undertaken, completed, and submitted as a collective effort by the group members listed below.

We have honoured the principles of academic integrity and have upheld the Student Code of Academic Conduct in the completion of this work.

We understand that if plagiarism is found in the assignment, then lower marks or no marks will be awarded for the assessed work. In addition, disciplinary actions may be taken.

NAME	COURSE	LAB GROUP	SIGNATURE
Pu Fanyi	SC2002	A50	
Jiang Jinyi	SC2002	A50	
Jin Qingyang	SC2002	A50	
Soo Ying Xi	SC2002	A50	

1 DESIGN CONSIDERATIONS

FYPMS (Final Year Project Management System) is a Java console application designed with a focus on reusability, extensibility, and maintainability. It efficiently manages final year project settings and accommodates different user types and their requirements, allowing for easy upgrades and future development.

1.1 DESIGN APPROACH

The FYPMS was designed with a focus on high cohesion and loose coupling, with classes separated into three categories: *controllers*, *boundaries*, and *entities*. *Controllers* include “*Project Manager*”, “*Request Manager*”, *boundaries* include “*Student Main Page*”, “*Coordinator Main Page*”, *entities* include “*Students*”, “*Projects*” etc. When the user is using the system, he/she interacts with the boundaries, which then call the controller to perform requested operations such as making changes to the entity or retrieve information from entity to display etc. Each of these categories works together to complete our system while ensuring the dependency on each other is minimized. As such, our system is highly flexible, extendable and easy to maintain. Minimum effort is required when extending our system, for example when a new function in the system is introduced.

1.2 HIGHLIGHTS OF SOME DESIGNS

Reflection: The interface *Model* uses reflection to convert between classes and strings, enabling dynamic handling of model data without manual mapping.

Generic Repository Class: *Repository<Model>* class with generics allows for flexible data storage and retrieval for any model type, reducing duplication and improving maintainability.

SHA-3 Password Encryption: User passwords are encrypted using the SHA-3 algorithm for enhanced security.

Batch CSV Data Import: The system supports batch importing of initial data from CSV files, making it convenient to process large datasets in chunks.

Factory Design Pattern: The factory pattern is used to quickly generate requests based on different requirements, enhancing system scalability and adaptability.

JUnit 5: We used JUnit 5 to test our classes, it helps to ensure the correctness and robustness of our code.

1.3 APPLIED DESIGN PRINCIPLE

1.3.1 Single Responsibility Principle (SRP)

The Single Responsibility Principle (SRP) recommends that each class should have a clear and singular responsibility, avoiding unrelated tasks. By adhering to the SRP, we can minimize the ripple effect of changes,

simplifying the process of modifying, testing, and reusing code, resulting in more maintainable and robust software design.

1.3.2 Open/Closed Principle (OCP)

The Open/Closed Principle (OCP) states that classes should be open for extension but closed for modification, allowing for the addition of new functionality without changing existing code. OCP can be implemented through abstraction, inheritance, and polymorphism.

In our project, we apply OCP by creating an abstract class "Repository<Model>" that can be extended to create different types of Repositories such as "ProjectRepository" and "RequestRepository." Each subclass overrides the "getFilePath()" method to allow for easy extension of the Repository system. For requests, we use an interface "Request" to derive different types of requests such as "StudentRegistrationRequest" and "StudentDeregistrationRequest." Each subclass overrides the "get" methods for request details, enabling new request types to be added without changing the existing code.


1.3.3 Liskov Substitution Principle (LSP)

To put it simply, Liskov Substitution Principle states that the subtypes must be substitutable for the base types. In the case of our system, the usage of this principle is widely applied. One of the examples is the 'Request' class. Subclasses of the 'Request' include 'StudentRegistrationRequest', 'TransferStudentRequest' etc. All those subclasses are substitutable for the 'Request' class object while ensuring the methods behave correctly. When determining the request type of each different request, we may use different instances of requests to call the 'getRequestType' method, and the corresponding method in the subclass will be called and return the correct request type. Polymorphism is also applied here.

1.3.4 Interface Segregation Principle (ISP)

The interface segregation principle refers to that many specific interfaces are better than one general interface. In other words, we should always avoid designing a 'fat interface'. As such, when developing our system, we noticed that this is important to promote maintainability, flexibility and modularity. For instance, we found that the 'Model' must be further divided into separate interfaces such as *User*, *Project* and *Request* so that the different entities can implement the interfaces accordingly. By doing so, we can ensure that the entity classes don't have to implement methods that are not related and reduce the ripple effect when modifying our system.

Furthermore, we have applied the ISP in our project by incorporating the *Displayable* interface. This aligns with the principle of preferring specific interfaces over general ones, avoiding a bloated interface. The



Displayable interface defines two methods, *getSplitter()* and *getDisplayableString()*, allowing objects to be formatted and displayed.

1.3.5 Dependency Injection Principle (DIP)

The dependency injection principle suggests that higher modules must not depend on lower modules, but both should depend on abstraction. In other words, instead of directly depending on the concrete class to perform some operation, we can depend on the interfaces, which are less likely to be changed. In our design, we highly focus on this principle. For example, when getting the ID of a student user, instead of depending on the '*Student*' concrete class, we depend on the *<User>* interface. This will allow us to add more users with the least effort needed in the future and make our system more extendable.

1.4 FURTHER ENHANCEMENT

For the further development of our system, we considered the situation that there may more than two students requesting to register for a project created by the same supervisor. When any two of the requests approved, the other requests will remain pending, and the students will be waiting forever for the request to be approved. As such, we designed a feature such that whenever a supervisor is supervising 2 projects, the other requests which are to register for the projects from the same supervisor will be rejected. By doing this, we can ensure that there is no miscommunication occurred, and students will be able to know their status and make their following decisions effectively.

On the other hand, we have made our system more friendly to the users. Every time the user is prompted to enter the ID of a project or request, we will first display the viewable projects or requests (depending on user type), then follow by asking the user to input the ID. With this, the users can interact better with our system's interface and thus increase its effectiveness.

1.5 REFLECTION


From this assignment, we have seen the importance of design principles through real application. At the beginning phase of this assignment, we found that a slight change in our code will trigger a ripple effect, causing that almost all other parts of our code must be changed. We then refer to the design principles and apply them widely in our assignment. Therefore, software with high cohesion and loose coupling is ultimately important, as to make it to have high flexibility, easily maintainable and extendable.

At the same time, we have learnt to design a software that fits its functions and real-world applications. Considering all users for the software, we kept modifying our design so that it takes into considerations different possible scenarios and ensures that there are no conflicts between the users.


2 DETAILED /UML CLASS DIAGRAM

Please Refer to the <UMLClassDiagram> for further details.


2.1 MAIN DIAGRAM



2.3 CONTROLLER SUB DIAGRAM



2.4 BOUNDARY SUB DIAGRAM



3 TESTING

3.1 WELCOME PAGE

3.1.1 Login Page

```

      FYPMS

Welcome to the Final Year Project Management System!

=====
Please enter your choice to continue.
 1. Login
 2. Forget UserID
 3. Exit
Your choice (1-3): 1

=====
1. Student
2. Supervisor
3. FYP Coordinator
=====
Please select your domain (1-3): 1
Please enter your UserID (Press enter if you forget): JINQ0003
Please enter your password:

```

Upon entering the system, the user can choose from 3 different domains.

```

=====
Welcome to Student Main Page
Hello, Jin Qingyang!

 1. View my profile
 2. Change my password
 3. View project list
 4. View my project
 5. View my supervisor
 6. Register for a project
 7. Deregister for a project
 8. Change title for a project
 9. View history and status of my request
10. Logout
=====

Here we use students as an example.

```

3.1.2 Forgot User ID

```

      FYPMS

Welcome to the Final Year Project Management System!

=====
Please enter your choice to continue.
 1. Login
 2. Forget UserID
 3. Exit
Your choice (1-3): 2

Please enter your username: Jin Qingyang
Found 1 user(s) with name Jin Qingyang.
The list of UserID associated with Jin Qingyang is:

  User ID      | User Domain
-----|-----
  JINQ0003    | STUDENT

Press Enter key to go back.

```

If the user chooses the option of *forget UserID*, the system will return the UserID of the user.

3.1.3 Change Password

```

Welcome to Change Student Password
[Please enter your old password:
[Please enter your new password:
[Please enter your new password again:
Password changed successfully.
Press [Enter] to go back to the main page.

Successfully change password

```

```


Welcome to Change Student Password
[Please enter your old password:
[Please enter your new password:
[Please enter your new password again:
Password must be at least 8 characters long.
Enter [b] to go back, or any other key to try again.

Welcome to Change Student Password
[Please enter your old password:
[Please enter your new password:
[Please enter your new password again:
Two passwords are not the same.
Enter [b] to go back, or any other key to try again.

```

Entering a new password with fewer than 8 characters or incorrectly entering the password twice is not permitted.

3.1.4 Logout



3.2 Student Register and Deregister

3.2.1 Student sends a request to register a project

```
Here is the list of available projects:
=====
| Machine Learning-based Interference Mitigation in a |
| Multi-tier Networks                               |
|-----|-----|
| Project ID           | P1 |
| Supervisor Name      | A S Madhukumar |
| Supervisor Email Address | ASMADHUKUMAR@NTU.EDU.SG |
| Project Status       | AVAILABLE |
|-----|-----|
| Deep Learning-Driven Edge Caching for 5G-and-Beyond |
| Industrial IoT Networks                             |
|-----|-----|
| Project ID           | P2 |
| Supervisor Name      | A S Madhukumar |
| Supervisor Email Address | ASMADHUKUMAR@NTU.EDU.SG |
| Project Status       | AVAILABLE |
|-----|-----|
| Sonification of geometry 1                         |
|-----|-----|
| Project ID           | P3 |
| Supervisor Name      | Alexei Sourin |
| Supervisor Email Address | ASSOURIN@ntu.edu.sg |
| Project Status       | AVAILABLE |
|-----|-----|
| Edge/Cloud Resource Management for Time-Sensitive |
| Applications (2)                                     |
|-----|-----|
| Project ID           | P4 |
| Supervisor Name      | Arvind Easwaran |
| Supervisor Email Address | ARVINDE@NTU.EDU.SG |
| Project Status       | AVAILABLE |
|-----|-----|

Here is the project information:
=====
| Build Software Agents for Power Trading Agent Competition |
|-----|-----|
| Project ID           | P6 |
| Supervisor Name      | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status       | AVAILABLE |
|-----|-----|
Are you sure you want to register for this project? (y/[n]): y
Request submitted!
Press Enter to go back.
```

The system will first show a list of available projects to choose from. Student then chooses a project, the system will ask student to confirm then submit the request

3.2.2 Coordinator approve registration request

```
=====
Welcome to Coordinator Main Page
Hello, Li Fang!

1. View my profile
2. Change my password
3. View all projects
4. View pending requests
5. View all requests' history and status
6. Accept or reject requests NEW!
7. Generate project details
8. Logout

=====

Please enter your choice: 6
```

The coordinator can choose to approve/reject request inside the coordinator main page

```

Accept or Reject Requests
=====
| Request ID | R1 |
| Request Type | STUDENT_REGISTRATION |
| Request Status | PENDING |
| Project ID | p6 |
| Supervisor ID | BOAN |
| Student ID | JINQ0003 |
=====
Please enter the ID of the request you want to accept or reject. (Enter 0 to go back.)
Please enter your choice: R1

Accept or Reject Requests
=====
| Request ID | R1 |
| Request Type | STUDENT_REGISTRATION |
| Request Status | PENDING |
| Project ID | p6 |
| Supervisor ID | BOAN |
| Student ID | JINQ0003 |
=====
1. Approve
2. Reject
3. Go back
Please enter your choice:
1

Here is the updated request:
=====
| Request ID | R1 |
| Request Type | STUDENT_REGISTRATION |
| Request Status | APPROVED |
| Project ID | p6 |
| Supervisor ID | BOAN |
| Student ID | JINQ0003 |
=====
Press enter to go back.

```

The system will display all the pending request, and the coordinator can choose a request by the RequestID to approve/reject.

3.2.3 Student requests to deregister

```

=====
Welcome to Student Main Page
Hello, Jin Qingyang!

1. View my profile
2. Change my password
3. View project list
4. View my project
5. View my supervisor
6. Register for a project
7. Deregister for a project
8. Change title for a project
9. View history and status of my request
10. Logout
=====
Please enter your choice: 7

Your current project is:
=====
| Build Software Agents for Power Trading Agent Competition |
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
=====
Are you sure you want to deregister from this project? (y/[n])
y
supervisorID = BOAN
Successfully sent a request to deregister
Press Enter to go back.

```

Student select the option to deregister. Student confirm to deregister.

```

=====
Welcome to Student Main Page
Hello, Jin Qingyang!

1. View my profile
2. Change my password
3. View project list
4. View my project
5. View my supervisor
6. Register for a project
7. Deregister for a project
8. Change title for a project
9. View history and status of my request
10. Logout
=====
Please enter your choice: 6

You are already registered/deregistered for a project.
Press Enter to go back.

```

After the coordinator approves the deregistration request, the student is not allowed to choose other projects.

3.2.4 Three students request one supervisor

```

Viewing all projects...
=====
| Deep Reinforcement Learning for Complex Environment |
| Project ID | P5 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | UNAVAILABLE |
=====
| Build Software Agents for Power Trading Agent Competition |
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
=====
| Designing Negotiation Agents to Parcitipate in International Competition |
| Project ID | P7 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
=====
Enter enter to go back

```

When two students have registered for the projects of a supervisor, the supervisor's remaining project will become unavailable.

3.3 Change Title

3.3.1 Supervisor change title

```
Changing the title of project....
Here are all your projects:
=====
| Deep Reinforcement Learning for Complex Environment |
|-----|
| Project ID | P5 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | AVAILABLE |
|-----|
| Build Software Agents for Power Trading Agent Competition |
|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | AVAILABLE |
|-----|
| Designing Negotiation Agents to Parcicipate in |
| International Competition |
|-----|
| Project ID | P7 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | AVAILABLE |
|-----|
Enter the project ID to change: P5

Here is the project:
=====
| Deep Reinforcement Learning for Complex Environment |
|-----|
| Project ID | P5 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | AVAILABLE |
|-----|
Enter the new title:
New Title

Here is the new project after changing the title:
=====
| New Title |
|-----|
| Project ID | P5 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | AVAILABLE |
|-----|
Are you sure you want to change the title? (Y/[N])
y
Project title changed successfully!
Enter enter to continue
```

The supervisor can choose a project from list of his projects to change the title. The system will then prompt the user to enter new title. The system will change the title after confirming with the supervisor.

3.3.2 Student change title

```
Here is your project:
=====
| Build Software Agents for Power Trading Agent Competition |
|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|
Are you sure you want to change the title of this project?
Enter [y] to confirm, or press enter to go back.
y
Please enter the new title:
New Title

Your new project is:
=====
| New Title |
|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|
Are you sure you want to change the title of this project?
Enter [y] to confirm, or press enter to go back.
y
Successfully sent a request to change title
Press Enter to go back.

Student can choose to modify his registered project's title and send the request to the supervisor

Approving or rejecting a request....
Here are all pending requests:
=====
| Request ID | R2 |
| Request Type | STUDENT_CHANGE_TITLE |
| Request Status | PENDING |
| Project ID | P6 |
| Supervisor ID | BOAN |
| Student ID | JINQ0003 |
| New Title | New Title |
|-----|
Enter the request ID to approve or reject (or [0] to go back): R2

Here is the request:
=====
| Request ID | R2 |
| Request Type | STUDENT_CHANGE_TITLE |
| Request Status | PENDING |
| Project ID | P6 |
| Supervisor ID | BOAN |
| Student ID | JINQ0003 |
| New Title | New Title |
|-----|
Enter the status to change to APPROVED (A) / REJECTED (R)
A

Only the supervisor of the project have the permission to process the request

View Student Project
=====
| New Title |
|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|
Press Enter to go back.

The new project title is successfully updated
```

3.4 Transfer Student

```

Processing to transfer...
Below are all your projects ready for transfer:
=====
|                               |
|                               |
|-----|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
|                               |
|                               |
|-----|-----|
| Project ID | P7 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
Enter the project ID to transfer:
P7

```

```

Here is the project:
=====
|                               |
|                               |
|-----|-----|
| Project ID | P7 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
Enter the new supervisor ID transfer to:
ASFLI

```

Professor An has two allocated project, he decided to transfer one of the student to other supervisor.

```

Here is the new project after changing the supervisor:
=====
|                               |
|                               |
|-----|-----|
| Project ID | P7 |
| Supervisor Name | Li Fang |
| Supervisor Email Address | ASFLI@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
Are you sure you want to change the supervisor? (Y/[N])
y
Successfully sent request for transfer!
Enter enter to continue

```

```

View Student Project
=====
|                               |
|                               |
|-----|-----|
| Project ID | P7 |
| Supervisor Name | Li Fang |
| Supervisor Email Address | ASFLI@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
Press Enter to go back.

```

After the Coordinator approve the request, the supervisor of the student will be successfully changed to the new supervisor.

3.5 Supervisor create project

```

Viewing all projects...
=====
|                               |
|                               |
|-----|-----|
|                               |
|-----|-----|
| Project ID | P5 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Project Status | UNAVAILABLE |
|-----|-----|
|                               |
|                               |
|-----|-----|
| Project ID | P6 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Jin Qingyang |
| Student Email Address | JINQ0003@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
|                               |
|                               |
|-----|-----|
| Project ID | P7 |
| Supervisor Name | Bo An |
| Supervisor Email Address | BOAN@NTU.EDU.SG |
| Student Name | Pu Fanyi |
| Student Email Address | FPU001@e.ntu.edu.sg |
| Project Status | ALLOCATED |
|-----|-----|
Enter enter to go back

```

When two students have registered for the projects of a supervisor, the supervisor's remaining project will become unavailable.